SCRUBBER DRYER DET

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 05/01/2016 Revision date: 05/06/2015 : Version: 10.0

SCRUBBER DRYER DET

SCRUBBER DRYER DET	FC19
SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: SCRUBBER DRYER DET
Product code	: FC194
Type of product	: Technical product
1.2. Relevant identified uses of the subs	tance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Floor cleaner
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safety	
HCI.SUPPLIES	TARGET HOUSE, RUTHVENFIELD ROAD, INVERALMOND INDUSTRIAL EST, PERTH, PH1 3EE, UNITED KINGDOM Tel: 01738 629839 Fax: 01738 783757 Email: sales@hcisupplies.co.uk
1.4. Emergency telephone number	181. 01736 029039 Fax. 01736 763737 Email: sales@ficisupplies.co.uk
Emergency number	: Mon to Fri 8.30am to 5.00pm - 01738 629839
SECTION 2: Hazards identification	
2.1. Classification of the substance or m	nixture
Classification according to Regulation (EC) N Skin Corr. 1A H314 Eye Dam. 1 H318 Full text of H-phrases: see section 16	lo. 1272/2008 [CLP]
2.2. Label elements	
Labelling according to Regulation (EC) No. 12 Hazard pictograms (CLP)	272/2008 [CLP] : GHS05
Signal word (CLP)	: Danger
Hazardous ingredients	: 2-Ethylhexanol, ethoxylated, sodium hydroxide, caustic soda
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage
Precautionary statements (CLP)	 P264 - Wash hands thoroughly after handling P280 - Wear eye protection, protective gloves P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P405 - Store locked up P315 - Get immediate medical advice/attention

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable

according to Regulation (EC) No. 453/2010

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Ethylhexanol, ethoxylated	(CAS No) 26468-86-0 (EC no) 607-943-2	1 - 5	Xi; R41	Eye Dam. 1, H318
sodium hydroxide, caustic soda	(CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011-002-00-6	1 - 5	C; R35	Skin Corr. 1A, H314
Fatty alcohol alkoxylate	(CAS No) Polymer_DT108	1 - 5	Xi; R36/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Burns.
4.3. Indication of any immediate medical	attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the sub	istance or mixture
Hazardous decomposition products in case of fire	: Corrosive vapours.
5.3. Advice for firefighters	
No additional information available	
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment	nt and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
For further information refer to section 8: "Exposu	are controls/personal protection". For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product.

according to Regulation (EC) No. 453/2010

7.2. Conditions for safe storage, inc	2. Conditions for safe storage, including any incompatibilities		
Technical measures	: Does not require any specific or particular technical measures.		
Storage conditions	: Keep container closed when not in use.		
Incompatible products	: Oxidizing agent. Strong acids.		
Incompatible materials	: Metals.		
Special rules on packaging	: Keep only in original container.		
7.3. Specific end use(s)			

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Materials for protective clothing

Hand protection

Eye protection

Skin and body protection

Respiratory protection



: Not required for normal conditions of use

- : Protective gloves
- : Safety glasses
- : Not required for normal conditions of use
- : Not required for normal conditions of use

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and o	chemical properties
Physical state	: Liquid
Appearance	: Liquid.
Colour	: dark yellow.
Odour	: characteristic.
Odour threshold	: No data available
рН	: 13
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.02
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

according to Regulation (EC) No. 453/2010

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
Stable u	under normal conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
No add	itional information available
10.5.	Incompatible materials
metals.	
10.6.	Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 13	
Serious eye damage/irritation	: Causes serious eye damage. pH: 13	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	

SECT	ION 12: Ecological information	
12.1.	Toxicity	

2-Ethylhexanol, ethoxylated (26468-86-0)			
LC50 fishes 1	13 mg/l		
EC50 other aquatic organisms 1	6.5 mg/l EC50 waterflea (48 h)		
EC50 other aquatic organisms 2	6.6 mg/l IC50 algea (72 h) mg/l		
Fatty alcohol alkoxylate (Polymer_DT108)			
EC50 other aquatic organisms 1	≈ 1 - 10 mg/l		
12.2. Persistence and degradability			
No additional information available			
12.3. Bioaccumulative potential	2.3. Bioaccumulative potential		
No additional information available			
Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Other adverse effects			
No additional information available			
SECTION 13: Disposal consideration	ons		
13.1. Waste treatment methods			
No additional information available			

No additional information available

according to Regulation (EC) No. 453/2010	
SECTION 14: Transport information	on
In accordance with ADR / RID / IMDG / IATA	/ ADN
14.1. UN number	
UN-No. (ADR)	: 1760
UN-No. (IMDG)	: 1760
UN-No.(IATA)	: 1760
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: CORROSIVE LIQUID, N.O.S.
Transport document description (ADR)	: UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III, (E)
Transport document description (IMDG)	: UN 1760 CORROSIVE LIQUID, N.O.S., 8, III
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8
	8
IMDG	
Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8
g	
	8
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 8
Hazard labels (IATA)	: 8
	<u>^</u>
	8
14.4. Packing group	
Packing group (ADR)	: 111
Packing group (IMDG)	: 10
Packing group (IATA)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: C9
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5L

according to Regulation (EC) No. 453/2010

Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	80
	1760
	1700
Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: В
- Transport by sea	
Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
()	: S-B
EmS-No. (Spillage)	
Stowage category (IMDG)	: A
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L
44.7 Trepenent in bull seconding to Any	and the ADDOL 72/70 and the L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IBC code

: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference

: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 4)

SCRUBBER DRYER DET

Safety Data Sheet

according to Regulation (EC) No. 453/2010

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BlmSchV

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product